

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	S R VIDYA MANDIR MUKUNDPUR BHAGALPUR BIHAR
2	AFFILIATION NO.(IF APPLICABLE)	
3	SCHOOL CODE (IF APPLICABLE)	
4	COMPLETE ADDRESS WITH PIN CODE	SRI RAMKRISHNA VIDYA MANDIR, GANDHI NIKUNJ RANNUCHAK, MUKUNDPUR, BHAGALPUR, - 812004
5	PRINCIPAL NAME	Manju Kumari
6	PRINCIPAL QUALIFICATION	Required?
7	SCHOOL EMAIL ID	srvmprincipal@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	Required?

B : DOCUMENTS AND INFORMATION:

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	EG. WWW.SCHOOLWEBSITE.COM/AFFILITAIIONLETTER
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	EG. WWW.SCHOOLWEBSITE.COM/TRUSTCERTIFICATE
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	EG. WWW.SCHOOLWEBSITE.COM/NOC
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	EG. WWW.SCHOOLWEBSITE.COM/RECOGNITIONCERTIFICATE
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	EG. WWW.SCHOOLWEBSITE.COM/BUILDINGCERTIFICATE Required?
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	EG. WWW.SCHOOLWEBSITE.COM/FIRECERTIFICATE Required?
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	EG. WWW.SCHOOLWEBSITE.COM/DEOCERTIFICATE
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	EG. WWW.SCHOOLWEBSITE.COM/WATERHEALTHCERTIFICATI Required?

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMETNS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	<input type="text" value="EG. WWW.SCHOOLWEBSITE.COM/FEESTRUCTURE"/> Required?
2	ANNUAL ACADEMIC CALANDER	<input type="text" value="EG. WWW.SCHOOLWEBSITE.COM/ACADEMICCALENDER"/> Required?
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	<input type="text" value="EG. WWW.SCHOOLWEBSITE.COM/LIST_OF_SMC"/> Required?
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	<input type="text" value="EG. WWW.SCHOOLWEBSITE.COM/LINK_OF_PTA"/> Required?
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABLILITY	<input type="text" value="EG. WWW.SCHOOLWEBSITE.COM/LINK_OF_THREEYEARRESU"/> Required?

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL	<input type="text"/> Required?
2	TOTAL NO. OF TEACHERS	<input type="text"/> Required?
	PGT	<input type="text"/> Required?
	TGT	<input type="text"/> Required?
	PRT	<input type="text"/> Required?
3	TEACHERS SECTION RATIO	<input type="text"/> Required?
4	DETAILS OF SPECIAL EDUCATOR	<input type="text"/> Required?
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	<input type="text"/> Required?

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDETNS PASSED	PASS PERCENTAGE	REMARKS
1	<input type="text"/>	<input type="text"/>	<input type="text"/>	EG. 78.56	<input type="text"/>

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	<input type="text"/>	<input type="text"/>	<input type="text"/>	EG. 78.56	<input type="text"/>

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS		
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	<input type="text"/> Required?		
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ FT/MTR)	<table border="1"> <tr> <td><input type="text"/> NO OF CLASS ROOMS Required?</td> <td><input type="text"/> SIZE IN SQ. MTR Required?</td> </tr> </table>	<input type="text"/> NO OF CLASS ROOMS Required?	<input type="text"/> SIZE IN SQ. MTR Required?
<input type="text"/> NO OF CLASS ROOMS Required?	<input type="text"/> SIZE IN SQ. MTR Required?			
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	<table border="1"> <tr> <td><input type="text"/> NO OF LABORATORIES Required?</td> <td><input type="text"/> SIZE IN SQ. MTR Required?</td> </tr> </table>	<input type="text"/> NO OF LABORATORIES Required?	<input type="text"/> SIZE IN SQ. MTR Required?
<input type="text"/> NO OF LABORATORIES Required?	<input type="text"/> SIZE IN SQ. MTR Required?			
4	INTERNET FACILITY	<input type="radio"/> Yes <input type="radio"/> No Required?		
5	NO. OF GIRLS TOILETS	<input type="text"/> Required?		
6	NO. OF BOYS TOILETS	<input type="text"/> Required?		
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	<input type="text"/>		

SAVE DATA

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	S R VIDYA MANDIR MUKUNDPUR BHAGALPUR BIHAR
2	AFFILIATION NO.(IF APPLICABLE)	330146
3	SCHOOL CODE (IF APPLICABLE)	65142
4	COMPLETE ADDRESS WITH PIN CODE	SRI RAMKRISHNA VIDYA MANDIR, GANDHI NIKUNJ RANNUCHAK, MUKUNDPUR, BHAGALPUR, - 812004
5	PRINCIPAL NAME	Manju Kumari
6	PRINCIPAL QUALIFICATION	M.A (B.Ed.)
7	SCHOOL EMAIL ID	srvmprincipal@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	9294951018

B : DOCUMENTS AND INFORMATION:

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	EG. WWW.SCHOOLWEBSITE.COM/AFFILITAIIONLETTER
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	EG. WWW.SCHOOLWEBSITE.COM/TRUSTCERTIFICATE
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	EG. WWW.SCHOOLWEBSITE.COM/NOC
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	EG. WWW.SCHOOLWEBSITE.COM/RECOGNITIONCERTIFICATE
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	EG. WWW.SCHOOLWEBSITE.COM/BUILDINGCERTIFICATE
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	EG. WWW.SCHOOLWEBSITE.COM/FIRECERTIFICATE
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	EG. WWW.SCHOOLWEBSITE.COM/DEOCERTIFICATE
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	EG. WWW.SCHOOLWEBSITE.COM/WATERHEALTHCERTIFICATI

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMETNS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
--------	-----------------------	--

1	FEE STRUCTURE OF THE SCHOOL	EG. WWW.SCHOOLWEBSITE.COM/FEESTRUCTURE
2	ANNUAL ACADEMIC CALANDER	EG. WWW.SCHOOLWEBSITE.COM/ACADEMICCALENDER
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	EG. WWW.SCHOOLWEBSITE.COM/LIST_OF_SMC
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	EG. WWW.SCHOOLWEBSITE.COM/LINK_OF_PTA
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABLILITY	EG. WWW.SCHOOLWEBSITE.COM/LINK_OF_THREEYEARRESUI

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL	MANJU KUMARI
2	TOTAL NO. OF TEACHERS	36
	PGT	20
	TGT	9
	PRT	7
3	TEACHERS SECTION RATIO	1.5
4	DETAILS OF SPECIAL EDUCATOR	DEEPAK KUMAR MISHRA
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	DEEPIKA KUMARI

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDETNS PASSED	PASS PERCENTAGE	REMARKS
1	2020	55	46	83.63	SATISFACTORY.

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDETNS PASSED	PASS PERCENTAGE	REMARKS
1	2020	78	35	44.87	GOOD.

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	7640

2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ FT/MTR)	<input type="text" value="40"/>	<input type="text" value="450"/>
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	<input type="text" value="4"/>	<input type="text" value="152"/>
4	INTERNET FACILITY	<input checked="" type="radio"/> Yes <input type="radio"/> No	
5	NO. OF GIRLS TOILETS	<input type="text" value="10"/>	
6	NO. OF BOYS TOILETS	<input type="text" value="16"/>	
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	<input type="text"/>	

SAVE DATA



No. 3981

संस्थाओं के निबन्धन का प्रमाण-पत्र

(ऐक्ट 21, 1860)

संख्या २६५

दि 19.02.19.93

मैं इसके द्वारा प्रमाणित करता हूँ कि

श्री रामकुमार शिंदे
सांठिर व वासुसिद्धि लि.

सोसाईटीज रजिस्ट्रेशन ऐक्ट 21, 1860 के अधीन आज यथावत् निबन्धित हुआ / हुई ।

आज तारीख ११/०१/१९९३ मास १९/१९९३ वर्ष उनीस सौ ९१/९३ को पटना में मेरे हस्ताक्षर के साथ दिया गया ।



वास्ते, महानिरीक्षक, निबन्धन, बिहार, पटना

पत्रांक 10/न4-12/2002 गि10- 580

मानव संसाधन विभाग, बिहार

सूचना

श्री एम0 टास

विशेष निदेशांक 10/गि10।

सेवा में,

सचिव,

सेन्ट्रल बोर्ड ऑफ़ टेकेन्डी एजुकेशन,
विश्व केंद्र, कम्युनिटी सेन्टर, पीत बिहार
विकारा मार्ग, नई दिल्ली-110092

पटना, दिनांक 1-11-04

विषय:- राज्य के निजी विद्यालयों को सेन्ट्रल बोर्ड ऑफ़ टेकेन्डी एजुकेशन, नई दिल्ली से सम्बद्धता हेतु अनापत्ति प्रमाण-पत्र निर्गमन करने के संबंध में।

महोदय,

निदेशानुसार उपर्युक्त विषय की ओर आपका ध्यान आकृष्ट करते हुए कहना है कि दिनांक 4.10.04 को निजी विद्यालयों को अनापत्ति प्रमाण-पत्र निर्गमन किए जाने के संबंध में उच्चस्तरीय समिति की बैठक में सकारात्मकता से लिए गए निर्णय के आलोक में निम्नलिखित निजी विद्यालयों को सी0बी0एस0ई0, नई दिल्ली से सम्बद्धता हेतु अनापत्ति प्रमाण-पत्र इस दस्तावेज के साथ निर्गमन करने का निर्णय लिया गया कि उन्हें सम्बद्धता प्राप्त होने के बाद राज्य सरकार के विद्यालय के शिक्षक/शिक्षक/कर्मियों के समकक्ष वेतनादि का भुगतान विद्यालय के शिक्षक/शिक्षक/कर्मियों को करना होगा तथा उन विद्यालयों में सी0बी0एस0ई0, सर्टिफिकेट मापदंड के अनुरूप भवन में तदनुसंग विद्यार्थियों की संख्या निर्धारित करनी होगी:-

- 11- सेंट शेन्स हाई स्कूल, केम की हवेली, पटना सिटी
- 12- प्रज्य तपस्वी श्री राजीवजी महाराज सरस्वती विद्या मंदिर, हसनपुर राजगीर।
- 13- सान्तरी देवी सरस्वती विद्या मंदिर, वंशी झा लेन, बूढानाथ, भागलपुर
- 14- आर0पी0ए0 स्कूल, कवहरी रोड, बिहारवारीफ, नालंदा
- 15- आर0एस0एस0 पब्लिक स्कूल, तुपौल
- 16- इन्वियरियल पब्लिक स्कूल, हथुआ, गोपालगंज
- 17- डी0 दुखनराम डी0एस0ई0 पब्लिक स्कूल, गंगला रोड, टानापुर, पटना
- 18- पी0पी0एस0 स्कूल, वैकुण्ठनगर, अड़वा मोड़, जहानाबाद
- 19- नोट्रेड्स स्कोल, और
- 10- मदरा इंटरनेशनल स्कोल, एफ0सी0आई0 रोड, फुलवारीशारीफ, पटना
- 11- रेडियेन्ट इंटरनेशनल स्कूल, छाँल रोड, पटना
- 12- एडिसेड डान्टेट स्कूल, पित्रगुप्तनगर, कंकडवाग, पटना
- 13- डी0एस0ई0 पब्लिक स्कूल इंडस्ट्रीयल एरिया, बरारी, भागलपुर
- 14- रामकृष्ण विद्या मंदिर उच्च विद्यालय, गांधी निकुंज, रन्नुचक, भागलपुर

- 15. सीताराम डी०ए०पी० पब्लिक स्कूल, - विद्यालय का संशोधित पत्र, सीताराम डी०ए०पी० पब्लिक स्कूल, पुपरी, सीतामढ़ी
- 16. एलिमेन्ट पब्लिक स्कूल, कटारीहिल रोड, गया

2- इसकी सूचना संबंधित विद्यालय के प्राचार्य को दी जा रही है ।
 3- यह आदेश तत्कालिक प्रभाव से लागू होगा ।

विश्वसतभाजन,

44/30/10/04

विशेष निदेशक, माध्यमिक शिक्षा,

सूचना

क्रमांक 580 पटना, दिनांक 1-11-04

प्रतिलिपि संबंधित जिला पदाधिकारी/संबंधित क्षेत्रीय शिक्षा उप निदेशक/संबंधित जिला शिक्षा पदाधिकारी/संबंधित विद्यालय के प्राचार्य को सूचनाएं एवं आवश्यक कार्यादेश प्रेषित ।

2- शैक्षिक गुणावत्ता को सुनिश्चित करने हेतु विभाग द्वारा प्रतिवर्ष कम-से-कम एक विद्यालय का निरीक्षण किया जाएगा ।

3- निम्नलिखित परिस्थितियों में विद्यालय को निर्गत अनुपपत्ति प्रमाण-पत्र निरस्त वापस लेने की कार्रवाई सरकार द्वारा की जा सकती है:-

क। विद्यालय द्वारा विद्यालय के शिक्षक/शिफ्टर कर्मियों को रा. सरकार के विद्यालय के कर्मियों के समकक्ष वेतन एवं भत्ते आदि का भुगतान नहीं किया जा रहा है अथवा भुगतान में अधिक कटौत किया जा रहा हो,

ख। अनुपपत्ति प्रमाण-पत्र के लिए समर्पित कागजात एवं अभिलेख जमा नहीं पाये जाने अथवा वास्तविक स्थिति से भिन्न होने पर,

ग। विद्यालय में वित्तीय अनियमितता जी जा रही हो अथवा जित्त मद के लिए राशि की व्यवस्था हो अथवा दूसरे मद में व्यय किया जा रहा हो,

घ। विद्यालय ऐसी गतिविधि में संलग्न हो जो राज्य के हित एवं रा. सरकार द्वारा बनायी गई नियमों के विरुद्ध हो एवं ऐसी कार्रवाई की जा रही हो जिससे समाज के विभिन्न सोसायटी के बीच कटुता पैदा हो;

च। सी०बी०एस०ई०, मापटण्ड के अनुरूप भवनों में सी०बी०एस०ई० मापटण्ड के अनुरूप विद्यार्थियों को संख्या निर्धारित नहीं किए जाने पर ।

44/30/10/04
विशेष निदेशक, माध्यमिक शिक्षा,

क्रमांक 580 पटना, दिनांक 1-11-04

प्रतिलिपि सचिव/निदेशक, माध्यमिक शिक्षा/निदेशक, प्राथमिक शिक्षा, मानव संसाधन विकास विभाग, बिहार, पटना को सूचनाएं प्रेषित ।

44/30/10/04
विशेष निदेशक, माध्यमिक शिक्षा,

क्रमांक 580 पटना, दिनांक 1-11-04

प्रतिलिपि माननीय मंत्री/राज्य मंत्री, प्राथमिक एवं माध्यमिक, मानव संसाधन विकास विभाग, बिहार, पटना को सूचनाएं प्रेषित ।

44/30/10/04
विशेष निदेशक, माध्यमिक शिक्षा,

(2)

**कार्यपालक अभियंता का कार्यालय,
भवन निर्माण विभाग, भवन प्रमंडल, भागलपुर।**

पत्रांक :- 1665 / भागलपुर, दिनांक :- 10.4.2021

प्रेषक,

"ई० मनोज कुमार सिंह"
कार्यपालक अभियंता,
भवन प्रमंडल, भागलपुर।

सेवा में,

प्राचार्य,
रामकृष्ण विद्या मंदिर हाईस्कूल,
गोधी निकुंज, रन्नूचक, मकदपुर,
नाथनगर, भागलपुर।

विषय :-

Ramkrishna Vidya mandir High School का भवन सुदृढ़ता प्रमाण पत्र निर्गत करने के संबंध में।

संदर्भ

आपका पत्रांक - RJMH5/BGP/2021/04 दिनांक 05.04.2021

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र के क्रम में सहायक अभियंता, भवन अवर प्रमंडल सं०-०१, भागलपुर से प्राप्त प्रतिवेदन के आधार पर कहना है कि Ramkrishna Vidya mandir High School का निरीक्षण कनीय अभियंता/सहायक अभियंता के द्वारा किया गया। निरीक्षणोपरान्त सामान्य परिस्थिति में उक्त विद्यालय भवन पठन-पाठन के लिए सुदृढ़ पाया गया।

अतः Ramkrishna Vidya mandir High School का वर्ष 2021-22 के लिए भवन सुदृढ़ता प्रमाण पत्र निर्गत किया जाता है।

विश्वासभाजन

कार्यपालक अभियंता,
भवन प्रमंडल, भागलपुर।

10/4/21
कार्यपालक अभियंता
भवन प्रमंडल, भागलपुर।

झापांक 419
कार्यालय अग्निशामालय पदाधिकारी, भागलपुर।
दिनांक 09 वीं अक्टूबर 2020 ई

16

प्रेषक,

अधिष्ठान अग्निशाम पदाधिकारी,
भागलपुर।

सेवा में,

सर्वश्री रामकृष्ण विद्यामंदिर् हाईस्कूल
रज्जुचक, भागलपुर, भागलपुर

विषय -
गहाशय,

उपयुक्त विषय में मुझे प्रमाणित करना है कि आप के प्रतिष्ठान में रखे जाने वाले
निम्नांकित प्रारम्भिक आग से बचाव एवं सुरक्षा के निम्नलिखित अग्निशामन उपकरणों की दिनांक
08.10.2020 को जाँच की गयी, जो सही एवं क्रियाशील पाया।

- (1) DCP type Fire extinguisher 05K.2 — 06 Nos
- (2) WLO2 type Fire extinguisher 09K.2 — 04 Nos
- (3) Fire Bucket ————— 04 Nos
- (4) Smearable Borsing

1. प्रमाणित करना है कि गृह (सामान्य) विभाग का पत्रांक 8/1012 पी0 जी0 1747 दिनांक
03.09.1956 में पारित निर्देशों के अन्तर्गत उपयुक्त संस्थान भवन के उपयुक्त अग्निशामक
यंत्र / उपकरण है।
2. प्रमाणित किया जाता है कि उनके द्वारा प्रस्तुत सभी अग्निशामन यंत्र / उपकरण दिनांक
09.10.2020 के अन्तर्गत वर्ष 2020 के लिए ठीक है।
3. प्रमाण पत्र इस शर्त के साथ है कि यदि वे अपने वे पुरे अवधि में सभी अग्निशामक यंत्रों
/ उपकरणों को भलीभाँति से संधारण करेंगे। यदि सभी अग्निशामन यंत्रों / उपकरणों को
भली भाँति से संधारण नहीं करते है तो इसके लिए वे स्वयं जवाबदेह समझे जाएँगे। और
बीच में भी इसका नवीकरण रद्द कर दी जायेगी।
4. एक वर्ष पूर्ण होने से एक दिन पूर्व ही इनकी पुनः रिफिलिंग किसी मान्यता प्राप्त फर्म से
कराकर इनकी सक्रियता की जाँच इस कार्यालय से करा लेंगे।

विश्वासभाजन,

B. S. Sanyal
09/10/2020
फायर स्टेशन ऑफिसर
भागलपुर

REGARDING SAFE DRINKING WATER AND SANITARY
CONDITION


Certificate

No. 2293---

DATE 15/10/2020

It is certified that an inspection team headed by- Mr. Pravin Kumar Singh (Chemist) from P. H. Division Bhagalpur East, Bhagalpur inspected the Ramkrishna Vidya Mandir High School, Rannuchak -Mahandpur, Bhagalpur on 10.10.2020 and found the Ramkrishna Vidya Mandir High School, Bhagalpur has safe drinking water facilities for the students and members of staff institution and is maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the Central/State/U.T Govt.

The above valid for a period of- *One Year (10.10.2020 to 09.10.2021).*


(RANJEET KUMAR)
Executive Engineer
P H Division Bhagalpur east,
Bhagalpur

To,
Ramkrishna Vidya Mandir High School,
Gandhinikunj, Rannuchak -Mahandpur,
Bhagalpur
Bihar
Pin -812005